## <u>Summary of Proposed Zoning Bylaw Amendment for Discussion</u> SECTIONS IN THE ZONING BYLAW TO BE AMENDED (<u>ADDITIONS IN RED</u>):

## **SECTION 3.1 Classification of Zoning Districts**

Add CR1 – Corridor Residential 1 District, CR2 – Corridor Residential 2 District, CM1 – Corridor Mixed-Use 1 District and CS1 – Corridor Station Mixed-Use 1 District to the list of zoning districts.

#### **SECTION 5.6 Number of Buildings on a Site**

"(2) More than one principal building shall be permitted in dwelling groups, shopping centres, industrial complexes, office complexes, educational institutions, airports, any site in a B4MX, CM1, or CS1 District, and city-wide parks, multi-district parks, and district parks."

### **SECTION 5.15 Amenity Space**

"(1) The following provisions shall apply regarding amenity space for all multiple unit dwellings within any R, M or C districts:"

### **SECTION 6.3 Required Parking and Loading Standards**

### **NEW SUBSECTION** 6.3.8 Parking and Loading Requirements for Corridor Districts

- "(1) Each non-residential building with a building floor area greater than 400 square metres shall provide one off-street loading space.
- (2) All required parking and loading spaces for residential uses shall be located at least 3.0 metres from any part of a residential building entrance, the outer edge of a balcony or a window, and for all other uses, at least 1.0 metre from the building.
- (3) The minimum off-street parking standards for the Corridor Zoning Districts are set out in the following chart:

Uses	CR1 District	CR2 District	CM1 District	CS1 District
Art galleries, public libraries and museums	N/A	N/A	1 space per 50 m <sup>2</sup> of gross leasable floor area	1 space per 93 m <sup>2</sup> of building floor area
Bakeries	N/A	N/A	1 space per 50 m <sup>2</sup> of gross leasable floor area	1 space per 93 m <sup>2</sup> of building floor area
Boarding apartments, boarding houses and hostels	1 space plus 1 space per 2 units or beds, whichever is greater	1 space plus 1 space per 2 units or beds, whichever is greater	1 space plus 1 space per 4 units or beds, whichever is greater	1 space plus 1 space per 8 units or beds, whichever is greater
Commercial recreation uses	N/A	N/A	1 space per 50 m <sup>2</sup> of gross leasable floor area	1 space per 93 m <sup>2</sup> of gross leasable floor area
Community centres	1 space per 50 m <sup>2</sup> of building floor area	1 space per 50 m <sup>2</sup> of building floor area	1 space per 50 m <sup>2</sup> of building floor area	1 space per 93 m <sup>2</sup> of building floor area
Converted dwellings	1 space per dwelling unit	1 space per dwelling unit	N/A	N/A
Day cares and pre-schools	1 space plus 1 space per 10 persons enrolled	1 space plus 1 space per 10 persons enrolled	1 space plus 1 space per 10 persons enrolled	1 space plus 1 space per 10 persons enrolled
Educational institutions	N/A	N/A	1 space per classroom plus 1 space per 10 students at design capacity	1 space per 2 classrooms plus 1 space per 20 students at design capacity

Uses	CR1 District	CR2 District	CM1 District	CS1 District
Financial institutions	N/A	N/A	1 space per 50 m <sup>2</sup> of gross leasable floor area	1 space per 93 m <sup>2</sup> of gross leasable floor area
Homestays	No requirements	No requirements	No requirements	No requirements
Hotels	N/A	N/A	1 space per guest room, plus one space per 50 m² of gross floor area devoted to public assembly, plus the applicable number or parking space for any other use contained on the site	1 space per 10 guest rooms, plus one space per 50 m² of gross floor area devoted to public assembly, plus the applicable number or parking space for any other use contained on the site
Medical clinics	N/A	N/A	1 space per 50 m <sup>2</sup> of gross leasable floor area	1 space per 93 m <sup>2</sup> of gross leasable floor area
Medical, dental and optical laboratories	N/A	N/A	1 space per 50 m <sup>2</sup> of gross leasable floor area	1 space per 93 m <sup>2</sup> of gross leasable floor area
Motion picture, radio, television and recording studios	N/A	N/A	1 space per 50 m <sup>2</sup> of gross leasable floor area	1 space per 93 m <sup>2</sup> of gross leasable floor area
Multiple-unit dwellings and dwelling groups	1 space per dwelling unit plus 0.125 visitor spaces per dwelling unit	0.75 spaces per dwelling unit plus 0.125 visitor spaces per dwelling unit	0.5 spaces per dwelling unit with a floor area of 56 m² or less, plus 0.125 visitor spaces per dwelling unit; or 0.75 spaces per dwelling unit with a floor area greater than 56 m², plus 0.125 visitor spaces per dwelling unit	0.5 spaces per dwelling unit plus 0.125 visitor spaces per dwelling unit
Offices	N/A	N/A	1 space per 50 m <sup>2</sup> of gross leasable floor area	1 space per 93 m <sup>2</sup> of gross leasable floor area
Personal service trades and health clubs	N/A	N/A	1 space per 50 m <sup>2</sup> of gross leasable floor area	1 space per 93 m <sup>2</sup> of gross leasable floor area
Photography studios	N/A	N/A	1 space per 50 m <sup>2</sup> of gross leasable floor area	1 space per 93 m <sup>2</sup> of gross leasable floor area
Places of worship	1 space per 10 seats in main assembly area, or where no fixed seating is provided, 1 space per 7.5 m² of gross floor area devoted to main assembly area. 1 space per 10 m² of building floor area devoted to public assembly shall be provided for a hall or gymnasium that is accessory to the place of worship. The off-street parking requirement that is greater for the place of worship or the hall or	1 space per 10 seats in main assembly area, or where no fixed seating is provided, 1 space per 7.5 m² of gross floor area devoted to main assembly area. 1 space per 10 m² of building floor area devoted to public assembly shall be provided for a hall or gymnasium that is accessory to the place of worship. The off-street parking requirement that is greater for the place of worship or the hall or	N/A	N/A

Uses	CR1 District	CR2 District	CM1 District	CS1 District
	gymnasium shall apply, but not both.	gymnasium shall apply, but not both.		
Private clubs	N/A	N/A	1 space per 50 m <sup>2</sup> of gross leasable floor area	1 space per 93 m <sup>2</sup> of gross leasable floor area
Private schools	N/A	N/A	1 space per classroom plus 1 space per 6 students at design capacity	1 space per 2 classrooms plus 1 space per 12 students at design capacity
Residential care homes	0.75 spaces per staff member plus 1 space per 5 persons enrolled	0.75 spaces per staff member plus 1 space per 5 persons enrolled	0.75 spaces per staff member plus 1 space per 5 persons enrolled	0.75 spaces per staff member plus 1 space per 5 persons enrolled
Restaurants, lounges, nightclubs and taverns	N/A	1 space per 50 m <sup>2</sup> of gross leasable floor area	1 space per 50 m <sup>2</sup> of gross leasable floor area	1 space per 93 m <sup>2</sup> of gross leasable floor area
Retail stores and shopping centres	N/A	1 space per 50 m <sup>2</sup> of gross leasable floor area	1 space per 50 m <sup>2</sup> of gross leasable floor area	1 space per 93 m <sup>2</sup> of gross leasable floor area
Secondary suites	No requirements	No requirements	N/A	N/A
Street townhouses	1 space per dwelling unit	1 space per dwelling unit	0.75 spaces per dwelling unit	N/A
Short-term rental properties	1 space per dwelling unit	1 space per dwelling unit	No requirements	No requirements
Small animal grooming	N/A	N/A	1 space per 50 m <sup>2</sup> of gross leasable floor area	1 space per 93 m <sup>2</sup> of gross leasable floor area
Veterinary clinics	I IN/A		1 space per 50 m <sup>2</sup> of gross leasable floor area	1 space per 93 m <sup>2</sup> of gross leasable floor area

## **SECTION 7.7 Required Landscaping Standards**

## **NEW SUBSECTION 7.7.11 Landscaping Standards for Corridor Districts**

Minimum Width (in Metres)	CR1	CR2 <sub>2</sub>	CM1 <sub>2</sub>	CS1 <sub>2</sub>
Front yard landscaped strip	4.5	4.5	3.0	3.0
On corner sites, required side yard landscaped strip abutting the flanking street	(1)	(1)	1.5	1.5
Where a site abuts any R district site without an intervening lane, required landscaped strip adjacent to the abutting site line	1.5	1.5	0	0

### **NEW SUBSECTION 7.7.12 Notes to Landscaping Standards for Corridor Districts**

- "(1) The whole of any required side yard abutting the flanking street shall be landscaped.
- (2) Within the CM1 and CS1 districts, and for non-residential uses within the CR2 district, any required front yard and the whole of any required side yard abutting the flanking street shall be landscaped and shall be used for no purpose except landscaping, necessary driveway access, and outdoor patios or public seating areas. Necessary pedestrian access to the building entrances and outdoor patios and seating areas shall be excluded from hard landscaping."

### **NEW SECTION 15.0 Corridor Zoning Districts**

#### 15.1 CR1 - Corridor Residential 1 District

### **15.1.1 Purpose**

The purpose of the CR1 District is to provide for intensification opportunities and support infill development within the Corridor Growth Area in a range of ground-oriented, low-rise residential building forms and related community uses. The CR1 District is intended to accommodate a transition between one- and two-unit dwellings and multi-unit development. The CR1 District provides for density increases by allowing for incremental intensification of neighbourhoods.

#### 15.1.2 Permitted Uses

The Permitted Uses and Minimum Development Standards in the CR1 District are set out in the following chart:

	Chart.		Minimum Development Standards (in Metres)								
	CR1 District	Site Width	Site Depth	Site Area (m²)	Front Yard	Side Yard	Rear Yard Interior Site	Rear Yard Corner Site	Building Height (max.)	Site Coverage (max.) 5	Amenity Space per Unit (m²)
	1.2 Permitted Uses										
, ,	Accessory buildings and uses			Provisions Se	ction 5.7						
		7.5	30	225	6 1	0.75	6	4.5	10 <sub>2</sub>	50%	-
(3)	Community centres and community centre conversions	15	30	450	6 1	0.75	6	4.5	12	50%	-
	Day cares and pre- schools accessory to a place of worship, community centre conversion or community centre	Refer to	General I	Provisions Se	ction 5.32	2					
	Day cares, residential	Refer to	General I	Provisions Se	ction 5.33	3					
(6)	Garden and garage suites			Provisions Se							
	Homestays	Refer to	General I	Provisions Se	ction 5.51						
(8)	Keeping of two boarders in each unit of a TUD or SDD		1	-	_	-	-	-	-	-	-
(9)	Keeping of up to five boarders in a OUD	-	-		-	-	-	-	-	-	-
	Multiple unit dwellings and converted dwellings	15	30	450 <sub>6</sub>	6 1	0.75	6	4.5	10 2	50%	9 4
, ,	Municipal public works yard – Type I		General I	Provisions Se	ction 5.50						
	One-unit dwellings	7.5	30	225	6 <sub>1</sub>	0.75	6	4.5	10 <sub>3</sub>	50%	-
	Public libraries	15	30	450	6 <sub>1</sub>	0.75	6	4.5	12	50%	-
(14)	Public neighbourhood and district parks	-	-	-	6 1	1.5	6	4.5	10 2	10%	-
(15)	Places of worship	15	30	450	6 <sub>1</sub>	0.75	6	4.5	12	50%	-
	Residential care home – Type I	15	30	450	6 1	0.75	6	4.5	10 2	50%	-
(17)	Secondary suites	Refer to	General I	Provisions Se	ction 5.30	)	•	•	-	•	-
	Semi-detached dwellings	7.5	30	225	6 1	0.75	6	4.5	10 3	50%	-
(19)	Street townhouses	6	30	180	6 <sub>1</sub>	0.75	6	4.5	10 <sub>2</sub>	50%	-
(20)	Two-unit dwellings	15	30	450	6 1	0.75	6	4.5	10 з	50%	-

### 15.1.3 Discretionary Uses

The Discretionary Uses and Development Standards in the CR1 District are set out in the following chart:

			Mir	nimum D	evelop	ment Stan	dards (in	Metres)		
CR1 District	Site Width	Site Depth	Site Area (m²)	Front Yard	Side Yard	Rear Yard Interior Site	Rear Yard Corner Site	Building Height (max.)	Site Coverage (max.) <sub>5</sub>	Amenity Space per Unit (m²)
15.1.3 Discretionary Uses										
(1) Day cares and pre- schools	15	30	450	6 1	0.75	6	4.5	10 2	50%	-
(2) Private schools	15	30	450	6 <sub>1</sub>	0.75	6	4.5	10 <sub>2</sub>	50%	-
(3) Residential care home  – Type II	15	30	450	6 1	0.75	6	4.5	10 2	50%	
(4) Short-term rental properties	Refer to General Provisions Section 5.52									

## **15.1.4 Notes to Development Standards**

- (1) A front yard of not less than 3 metres in depth throughout may be provided for sites which front onto a local street or service road as defined in the Saskatoon Transportation Master Plan and which have access to a rear lane provided parking is located off the rear lane.
- Where a site has access to a rear lane or is a through site and is on the corner of an arterial or collector road as defined in the Saskatoon Transportation Master Plan, the maximum building height may be increased to 12 metres, provided that vehicular access to the site is from the rear lane or from one of the adjacent streets in the case of a through site.
- (3) The maximum building height for these uses in established neighbourhoods is 8.5 metres.
- (4) An amenity space with a minimum area of 9 m<sup>2</sup> for each dwelling unit shall be required, but in no case shall the total amenity space provided be less than 36 m<sup>2</sup>.
- (5) Site coverage includes all detached accessory buildings, covered patios, decks and balconies.

#### **15.1.5 Parking**

- (1) Except as provided in this subsection, the regulations governing parking and loading in a CR1 District are contained in Section 6.0.
- (2) Where a street townhouse or multiple-unit dwelling site has access to a rear lane, no parking shall be permitted between the front property line and front building line and no vehicular access to the site shall be permitted from the front street.

## 15.1.6 Landscaping

(1) The regulations governing landscaping in a CR1 District are contained in Section 7.0.

### 15.1.7 Signs

(1) The regulations governing signs in the CR1 District are contained in **Appendix A – Sign Regulations.** 

#### 15.2 CR2 – Corridor Residential 2 District

## **15.2.1 Purpose**

The purpose of the CR2 District is to provide for intensification opportunities and support infill development within the Corridor Growth Area in a range of ground-oriented residential building forms, limited neighbourhood commercial uses and related community uses. The CR2 District is intended to accommodate a transition between one- and two-unit dwellings and multi-unit and mixed-use development. The CR2 District provides for density increases by allowing for incremental intensification of neighbourhoods. The CR2 District is intended for development on corner sites, on sites adjacent to arterial or collector streets, or on sites adjacent to an existing commercial, institutional, or mixed-use zoning district.

#### 15.2.2 Permitted Uses

The Permitted Uses and Minimum Development Standards in the CR2 District are set out in the following chart:

		Minimum Development Standards (in Metres)									
	CR2 District	Site Width	Site Depth	Site Area (m²)	Front Yard	Side Yard	Rear Yard Interior Site	Rear Yard Corner Site	Building Height (max.)	Site Coverage (max.) <sub>5</sub>	Amenity Space per Unit (m²)
	1.2 Permitted Uses		•	•							
(1)	Accessory buildings and uses	Refer to 0	Refer to General Provisions Section 5.7								
(2)		7.5	30	225	6 1	0.75	6	4.5	12	50% з	9 4
	Community centres and community centre conversions	15	30	450	6 1	0.75	6	4.5	12	50%	-
(4)	Day cares and pre- schools accessory to a place of worship, elementary and high schools, community centre conversion or community centre	Refer to 0	General P	rovisions S	Section 5.3	32					
(5)	Day cares, residential	Refer to 0	General P	rovisions S	Section 5.3	33					
	Dwelling groups	30	30	900	6 <sub>1</sub>	1.5 8	6	4.5	12 <sub>2</sub>	50% з	9 4
	Dwelling units and multiple-unit dwellings in conjunction with and attached to any other non-residential use		-		-	-	-	-	-	-	-
(8)	Garden and garage suites	Refer to 0	General P	rovisions S	Section 5.4	13					
	Homestays			rovisions S	Section 5.5						
	Hostels – Type I	15	30	450	6 1	0.75	6	4.5	12	50% з	-
	Keeping of two boarders in each unit of a TUD or SDD	_	-	-	-	-	-	-	-	-	-
Ì	Keeping of up to five boarders in a OUD	-	-	-	-	-	-	-	-	-	-
(13)	Multiple unit dwellings and converted dwellings containing up to 6 dwelling units	15	30	450	6 1	0.75	6	4.5	12 2	50% 3	9 4

					Minimum	Develop	ment Stand	dards (in	Metres)		
	CR2 District	Site Width	Site Depth	Site Area (m²)	Front Yard	Side Yard	Rear Yard Interior Site	Rear Yard Corner Site	Building Height (max)	Site Coverage (max.) <sub>5</sub>	Amenity Space per Unit (m²)
(14)	Multiple unit dwellings containing 7 or more dwelling units	21	30	630	6 1	1.5	6	4.5	12 2	<b>50%</b> 3	9 4
(15)	Municipal public works yard – Type I	Refer to 0	General Pr	ovisions	Section 5.5	0					
(16)	One-unit dwellings	7.5	30	225	6 <sub>1</sub>	0.75	6	4.5	10 9	50%	-
(17)	Places of worship	15	30	450	6 <sub>1</sub>	0.75	6	4.5	12	50%	-
(18)	Public libraries	15	30	450	6 <sub>1</sub>	0.75	6	4.5	12	50%	-
(19)	Public neighbourhood and district parks	-		1	6 1	1.5	6	6	12	10%	-
(20)	Residential care home – Type I and Type II	15	30	450	6 1	0.75	6	4.5	12	50%	-
(21)	Secondary suites	Refer to 0	General Pr	ovisions	Section 5.3	0					
(22)	Semi-detached dwellings	7.5	30	225	6 <sub>1</sub>	0.75	6	4.5	10 9	50%	-
(23)	Street townhouses	6	30	180	6 1	0.75	6	4.5	12 <sub>2</sub>	50% з	-
(24)	Two-unit dwellings	15	30	450	6 1	0.75	6	4.5	10 9	50%	-

### 15.2.3 Discretionary Uses

The Discretionary Uses and Development Standards in the CR2 District are set out in the following chart:

				Minimum	Develop	ment Stand	ards (in I	Metres)		
CR2 District	Site Width	Site Depth	Site Area (m²)	Front Yard	Side Yard	Rear Yard Interior Site	Rear Yard Corner Site	Building Height (max.)	Site Coverage (max.) <sub>5</sub>	Amenity Space per Unit (m <sup>2</sup> )
15.1.3 Discretionary Uses										
(1) Day cares and preschools	15	30	450	6 1	0.75	6	4.5	12 2	50% з	-
(2) Personal service trades and health clubs 6,7	15	30	450	6 1	0.75	6	4.5	12 2	50% 3	-
(3) Restaurants 6,7	15	30	450	6 1	0.75	6	4.5	12 <sub>2</sub>	50% з	-
(4) Retail stores 6,7	15	30	450	6 1	0.75	6	4.5	12 <sub>2</sub>	50% з	-
(5) Short-term rental properties	Refer to 0	Refer to General Provisions Section 5.52								

### 15.2.4 Notes to Development Standards

- (1) A front yard of not less than 3 metres in depth throughout may be provided for sites which front onto a local street or service road as defined in the Saskatoon Transportation Master Plan and which have access to a rear lane provided parking is located off the rear lane.
- Where a site has access to a rear lane or is a through site and is on the corner of an arterial or collector road as defined in the Saskatoon Transportation Master Plan, the maximum building height may be increased to 15 metres, provided that vehicular access to the site is from the rear lane or from one of the adjacent streets in the case of a through site.
- (3) Site coverage may be increased to 60% for these uses on corner sites.

- (4) An amenity space with a minimum area of 9 m<sup>2</sup> for each dwelling unit shall be required, but in no case shall the total amenity space provided be less than 36 m<sup>2</sup>.
- (5) Site coverage includes all detached accessory buildings, covered patios, decks and balconies.
- (6) Allowed only on corner sites and only at grade.
- (7) The combined maximum building floor area for these uses on a site shall not exceed 232 m<sup>2</sup> unless the building has a minimum of two storeys and contains a residential use, in which case the maximum building floor area may be increased to 371 m<sup>2</sup>.
- (8) For dwellings in dwelling groups, a side yard of not less than 1.5 metres in width throughout and a rear yard of not less than 3 metres in width throughout shall be provided for an attached covered patio or deck or an attached raised patio or deck.
- (9) The maximum building height for these uses in established neighbourhoods is 8.5 metres.

## **15.2.5 Parking**

- (1) Except as provided in this subsection, the regulations governing parking and loading in a CR2 District are contained in Section 6.0.
- Where a site has access to a rear lane, no parking shall be permitted between the front property line and front building line and no vehicular access to the site shall be permitted from the front street.

#### 15.2.6 Landscaping

(1) The regulations governing landscaping in a CR2 District are contained in Section 7.0.

## 15.2.7 Signs

(1) The regulations governing signs in the CR2 District are contained in **Appendix A – Sign Regulations.** 

#### 15.3 CM1 – Corridor Mixed-Use 1 District

### **15.3.1 Purpose**

The purpose of the CM1 District is to facilitate approximately two- to-four storey residential and mixed-use development along major transportation corridors in the Corridor Growth Area. The CM1 District provides for a range of residential and mixed-use developments containing residential, commercial and institutional uses in mid-rise buildings that promote a compact, pedestrian-oriented form. The CM1 District encourages a variety of transportation options and buildings incorporating Transit-Oriented Development principles, including street-facing buildings with active frontages and ground-oriented uses.

#### 15.3.2 Permitted Uses

The Permitted Uses and Minimum Development Standards in the CM1 District are set out in the following chart:

	the following	Minimum Development Standards (in Metres)								
C	M1 District	Site Width	Site Area (m²)	Front Yard (min.)	Front Yard (max.)	Side Yard	Rear Yard	Building Height (min.)	Building Height (max.)	Amenity Space Per Unit (m <sup>2</sup> )
	ermitted Uses		1							_
	galleries and seums 2	15	450	4	6	0.75 1	6	8	16	-
	ceries 2	15	450	4	6	0.75 1	6	8	16	-
	arding apartments	15	450	4	6	0.75 1	6	8	16	-
stor	nnabis retail es 2,4	15	450	4	6	0.75 1	6	8	16	-
ban	ering halls, equet halls and enmunity kitchens 2	15	450	4	6	0.75 1	6	8	16	-
	nmercial reation uses 2	15	450	4	6	0.75 1	6	8	16	-
(7) Con	mmunity centres 2	15	450	4	6	0.75 1	6	8	16	-
	cares and pre- ools 2	15	450	4	6	0.75 1	6	8	16	-
	elling groups	30	900	4	6	0.75 1	6	8	16	9 3
	itutions 2	15	450	4	6	0.75 1	6	8	16	-
(11) Fina	ancial institutions	15	450	4	6	0.75 1	6	8	16	-
	nestays	Refer to 0	General Pro	visions Section	n 5.51					_
l II	stels – Type I and	15	450	4	6	0.75 1	6	8	16	-
(14) Hote		15	450	4	6	0.75 1	6	8	16	-
	dical clinics 2	15	450	4	6	0.75 1	6	8	16	-
opti	dical, dental and cal laboratories 2	15	450	4	6	0.75 1	6	8	16	-
Тур	robreweries – e I <sub>2</sub>	15	450	4	6	0.75 1	6	8	16	-
reco	tion picture or ording studios 2	15	450	4	6	0.75 1	6	8	16	-
(19) Mul	tiple unit ellings	15	450	4	6	0.75 1	6	8	16	9 3
	Ces 2,5	15	450	4	6	0.75 1	6	8	16	-
trad		15	450	4	6	0.75 1	6	8	16	-
2	otography studios	15	450	4	6	0.75 1	6	8	16	-
	ate clubs 2	15	450	4	6	0.75 1	6	8	16	-
	vate schools 2	15	450	4	6	0.75 1	6	8	16	-
(25) Pub	olic libraries 2	15	450	4	6	0.75 1	6	8	16	-

				Mir	nimum Develo	pment Stand	dards (in M	etres)		
	CM1 District	Site Width	Site Area (m²)	Front Yard (min.)	Front Yard (max.)	Side Yard	Rear Yard	Building Height (min.)	Building Height (max.)	Amenity Space Per Unit (m²)
(26)	Taverns 2	15	450	4	6	0.75 1	6	8	16	-
(27)	Residential care homes – Type I and II	15	450	4	6	0.75 1	6	8	16	-
(28)	Restaurants and lounges 2	15	450	4	6	0.75 1	6	8	16	-
(29)	Retail stores 2	15	450	4	6	0.75 1	6	8	16	-
(30)	Shopping centres 2	15	450	4	6	0.75 1	6	8	16	-
(31)	Short-term rental properties	Refer to 0	General Pro	visions Sectio	n 5.52					
(32)	Small animal grooming 2	15	450	4	6	0.75 1	6	8	16	-
(33)	Street townhouses	6	180	4	6	0.75 1	6	8	16	-
(34)	Veterinary clinics 2	15	450	4	6	0.75 1	6	8	16	-

### 15.3.3 Discretionary Uses

The Discretionary Uses and Development Standards in the CM1 District are set out in the following chart:

	Minimum Development Standards (in Metres)									
CM1 District	Site Width	Site Area (m²)	Front Yard (min.)	Front Yard (max.)	Side Yard	Rear Yard	Building Height (min.)	Building Height (max.)	Amenity Space per Unit (m²)	
15.3.2 Discretionary										
Uses										
(1) Nightclubs 2	15	450	4	6	0.75 1	6	8	16	-	

## 15.3.4 Notes to Development Standards

- (1) (a) For dwellings in dwelling groups, a side yard of not less than 1.5 metres in width throughout and a rear yard of not less than 3 metres in width throughout shall be provided for an attached covered patio or deck or an attached raised patio or deck.
  - (b) Where a site in a CM1 District is on a corner site, a side yard shall be provided of a width not less than 2 metres for the side yard abutting the flanking street.
  - (c) For multiple-unit dwellings, residential care homes, boarding apartments, or where dwelling units are erected above commercial, office or institutional uses, an interior side yard shall be provided for the part of the building containing such dwelling units of 1.5 metres, up to a height of 11 metres, and 3 metres for that portion of the building in excess of 11 metres in height. No such side yard shall be required when no window, door or other opening is provided in the wall facing the adjacent property.
- (2) Permitted only as part of a mixed-use development containing a multiple-unit dwelling, dwelling group, residential care home, or boarding apartment.
- (3) An amenity space of a minimum area of 9 m<sup>2</sup> per dwelling unit shall be required, except when part of a mixed-use development containing a non-residential use, in which case, the requirement shall be a minimum of 5 m<sup>2</sup> per dwelling unit.
- (4) A cannabis retail store may be permitted within 60 metres of an elementary or high school, park, community centre, public library, or day care subject to a discretionary use application process.
- (5) Office uses shall not exceed 600 m<sup>2</sup> in total gross floor area on a single site.

(6) The Development Officer may require a Site Plan Control Application in accordance with Section 4.12 of this Bylaw for any development or site in the CM1 District.

#### 15.3.5 Parking

- (1) Except as provided in this subsection, the regulations governing parking and loading in a CM1 District are contained in Section 6.0.
- (2) No parking shall be permitted between the front property line and front building line, or between the side building line closest to the flanking street and the side property line adjacent to the flanking street on corner sites.

#### 15.3.6 Landscaping

- (1) Except as provided in this subsection, the regulations governing landscaping in a CM1 District are contained in Section 7.0.
- (2) The required front yard shall have a maximum grade of 3 percent as measured starting from the front property line.

#### 15.3.7 Signs

(1) The regulations governing signs in the CM1 District are contained in **Appendix A – Sign Regulations.** 

#### 15.3.8 Building Design

- (1) Buildings shall contain the following elements of an active frontage on all street-facing facades, which shall create a functional pedestrian-oriented relationship between the building and the street:
  - a) at least one principal public entrance providing for direct and barrier-free pedestrian entry from the public sidewalk is required for every 15 linear metres along the front façade, and at least one public entrance along each street-facing façade is required in the case of a corner site;
  - b) any area that is setback from a street-facing property line must be used for a drop off area, bicycle parking, restaurant or dining uses, landscaping or public space, including but not limited to a plaza, public art, or seating area;
  - c) public entrances and any areas pursuant to clause (b) above shall be illuminated to provide for pedestrian visibility;
  - d) architectural features or designs that help to reduce the perceived massing of the building by breaking up large blank walls; and
  - e) a minimum of 40% of the surface area of the ground floor of all street-facing façades is to contain transparent openings.

### 15.3.9 Site Design

- (1) Buildings shall be located on sites such that primary access to main entrances is provided as directly as possible from the nearest public sidewalk or from an internal walkway making a clear and direct connection to a public sidewalk.
- (2) Sites shall contain clear and direct pedestrian access between building entrances, parking areas, internal walkways, public sidewalks, and existing or proposed transit stops.
- (3) Sites shall contain adequate sight lines for pedestrians and vehicles with consideration for avoiding conflicts between vehicular and pedestrian traffic and giving the right of way to pedestrians wherever possible.

- (4) Sites shall contain traffic calming features such as raised surface treatments, curb extensions, channelization islands, and signage at conflict points with pedestrian traffic in order to give the right of way to pedestrians.
- (5) Sites shall contain barrier-free access for pedestrians throughout the site, including consideration of the location of catch basins, curbs, planters, trees, light standards, or other obstructions.
- (6) Drive-throughs associated with any permitted use on the site shall be located on the interior of the site, such that drive-throughs are separated from any public street by a building.
- (7) Vehicle access to the site shall not be permitted from the front street.
- (8) Sites with more than one principal building shall be developed in a sequence such that the principal building located nearest to the front street is developed before any other principal building on the site.

### 15.5 CS1 - Corridor Station Mixed-Use 1 District

### **15.5.1 Purpose**

The purpose of the CS1 District is to facilitate approximately three- to-six storey mixed-use development along major transportation corridors near key transit station locations in the Corridor Growth Area. The CS1 District provides for a range of mixed-use developments containing residential, commercial and institutional uses in mid-rise buildings that promote a compact, pedestrian-oriented form. The CS1 District encourages a variety of transportation options and buildings incorporating Transit-Oriented Development principles, including street-facing buildings with active frontages and ground-oriented uses.

#### 15.5.2 Permitted Uses

The Permitted Uses and Minimum Development Standards in the CS1 District are set out in the following chart:

	Minimum Development Standards (in Metres)									
CS1 District	Site Width	Site Area (m²)	Front Yard (min.)	Front Yard (max.)	Side Yard	Rear Yard	Building Height (min.)	Building Height (max.)	Amenity Space per Unit (m²)	
15.5.2 Permitted Uses										
(1) Art galleries 3	15	450	4	6	0 2	6	11	27	-	
(2) Bakeries 3	15	450	4	6	0 2	6	11	27	-	
(3) Boarding apartments 1	15	450	4	6	0 2	6	11	27	-	
(4) Cannabis retail stores	15	450	4	6	0 2	6	11	27	-	
(5) Catering halls, banquet halls and community kitchens 3	15	450	4	6	0 2	6	11	27	-	
(6) Commercial recreation uses 3	15	450	4	6	0 2	6	11	27	-	
(7) Community centres 3	15	450	4	6	0 2	6	11	27	-	
(8) Day cares and pre- schools 3	15	450	4	6	0 2	6	11	27	-	
(9) Educational institutions	15	450	4	6	0 2	6	11	27	-	
(10) Financial institutions <sub>3</sub>	15	450	4	6	0 2	6	11	27	_	
(11) Homestays <sub>1</sub>		eneral Provis	sions Section	-	0.2				1	
(12) Hostels – Type I and II	15	450	4	6	0 2	6	11	27	_	
(13) Hotels	15	450	4	6	0 2	6	11	27	_	
(14) Medical clinics <sub>3</sub>	15	450	4	6	0 2	6	11	27	-	
(15) Medical, dental and optical laboratories 3	15	450	4	6	0 2	6	11	27	-	
(16) Microbreweries 3	15	450	4	6	0 2	6	11	27	-	
(17) Motion picture or recording studios 3	15	450	4	6	0 2	6	11	27	-	
(18) Multiple unit dwellings <sub>1</sub>	15	450	4	6	0 2	6	11	27	5	
(19) Offices 3,5	15	450	4	6	0 2	6	11	27	-	
(20) Personal service trades and health clubs 3	15	450	4	6	0 2	6	11	27	-	
(21) Photography studios <sub>3</sub>	15	450	4	6	0 2	6	11	27	_	
(22) Private clubs 3	15	450	4	6	0 2	6	11	27	_	
(23) Private schools <sub>3</sub>	15	450	4	6	0 2	6	11	27	_	
(24) Public libraries <sub>3</sub>	15	450	4	6	0 2	6	11	27	_	
(25) Taverns 3	15	450	4	6	0 2	6	11	27	_	
(26) Residential care homes  - Type I and II 1	15	450	4	6	0 2	6	11	27	-	
(27) Restaurants and lounges 3	15	450	4	6	0 2	6	11	27	-	
(28) Retail stores 3	15	450	4	6	0 2	6	11	27	-	
(29) Shopping centres 3	15	450	4	6	0 2	6	11	27	-	

	Minimum Development Standards (in Metres)									
CS1 District	Site Width	Site Area (m²)	Front Yard (min)	Front Yard (max)	Side Yard	Rear Yard	Building Height (min)	Building Height (max)	Amenity Space Per Unit (m²)	
(30) Short-term rental properties <sub>1</sub>	Refer to G	Refer to General Provisions Section 5.52								
(31) Small animal grooming	15	450	4	6	0 2	6	11	27	-	
(32) Veterinary clinics 3	15	450	4	6	0 2	6	11	27	-	

### 15.5.3 Discretionary Uses

The Discretionary Uses and Development Standards in the CS1 District are set out in the following chart:

	Minimum Development Standards (in Metres)									
CS1 District	Site Width	Site Area (m²)	Front Yard (min.)	Front Yard (max.)	Side Yard	Rear Yard	Building Height (min.)	Building Height (max.)	Amenity Space per Unit (m²)	
15.5.2 Discretionary Uses										
(1) Nightclubs 3	15	450	4	6	0 2	6	11	27	-	

## 15.5.4 Notes to Development Standards

- (1) Dwelling units shall not be permitted at grade.
- (2) Where a site in a CS1 District is on a corner site along a flanking street, a side yard shall be provided of a width not less than 2 metres for the side yard abutting the flanking street.
  - (b) For multiple-unit dwellings, residential care homes, boarding apartments, or where dwelling units are erected above commercial, office or institutional uses, not including living accommodations for a caretaker, an interior side yard shall be provided for the part of the building containing such dwelling units of 1.5 metres, up to a height of 12 metres, and 3 metres for that portion of the building in excess of 12 metres in height. No such side yard shall be required when no window, door or other opening is provided in the wall facing the adjacent property.
- (3) Permitted only as part of a mixed-use development containing a multiple-unit dwelling, residential care home, or boarding apartment.
- (4) A cannabis retail store may be permitted within 60 metres of an elementary or high school, park, community centre, public library, or day care subject to a discretionary use application process.
- (5) Office uses shall not exceed 1,800 m<sup>2</sup> in total gross floor area on a single site.
- (6) The Development Officer may require a Site Plan Control Application in accordance with Section 4.12 of this Bylaw for any development or site in the CS1 District.

## **15.5.5 Parking**

- (1) Except as provided in this subsection, the regulations governing parking and loading in a CS1 District are contained in Section 6.0.
- (2) No parking shall be permitted between the front property line and front building line, or between the side building line closest to the flanking street and the side property line adjacent to the flanking street on corner sites.

### 15.5.6 Landscaping

- (1) Except as provided in this subsection, the regulations governing landscaping in a CS1 District are contained in Section 7.0.
- (2) The required front yard shall have a maximum grade of 3 percent as measured starting from the front property line.

#### 15.5.7 Signs

(1) The regulations governing signs in the CS1 District are contained in **Appendix A – Sign Regulations.** 

### 15.5.8 Building Design

- (1) Buildings shall contain the following elements of an active frontage on all street-facing facades, which shall create a functional pedestrian-oriented relationship between the building and the street:
  - a) at least one principal public entrance providing for direct and barrier-free pedestrian entry from the public sidewalk is required for every 15 linear metres along the front façade, and at least one public entrance along each street-facing façade is required in the case of a corner site;
  - any area that is setback from a street-facing property line must be used for a drop off area, bicycle parking, restaurant or dining uses, landscaping or public space, including but not limited to a plaza, public art, or seating area;
  - c) public entrances and any areas pursuant to clause (b) above shall be illuminated to provide for pedestrian visibility;
  - d) architectural features or designs that help to reduce the perceived massing of the building by breaking up large blank walls; and
  - e) a minimum of 40% of the surface area of the ground floor of all street-facing façades is to contain transparent openings.

### 15.5.9 Site Design

- (1) Buildings shall be located on sites such that primary access to main entrances is provided as directly as possible from the nearest public sidewalk or from an internal walkway making a clear and direct connection to a public sidewalk.
- (2) Sites shall contain clear and direct pedestrian access between building entrances, parking areas, internal walkways, public sidewalks, and existing or proposed transit stops.
- (3) Sites shall contain adequate sight lines for pedestrians and vehicles with consideration for avoiding conflicts between vehicular and pedestrian traffic and giving the right of way to pedestrians wherever possible.
- (4) Sites shall contain traffic calming features such as raised surface treatments, curb extensions, channelization islands, and signage at conflict points with pedestrian traffic in order to give the right of way to pedestrians.
- (5) Sites shall contain barrier-free access for pedestrians throughout the site, including consideration of the location of catch basins, curbs, planters, trees, light standards, or other obstructions.
- (6) Drive-throughs associated with any permitted use on the site shall be located on the interior of the site, such that drive-throughs are separated from any public street by a building.

- (7) Vehicle access to the site shall not be permitted from the front street.
- (8) Sites with more than one principal building shall be developed in a sequence such that the principal building located nearest to the front street is developed before any other principal building on the site.

# **Appendix A: Sign Regulations**

# 2.0 Signage Table

2.1 The following table summarizes the Zoning Districts where signs in a particular Signage Group are permitted.

Zoning District	Signage Group
R1, R1A, R1B, R2, R2A, RMHC, RMHL, RMTN, RMTN1, RM1, RM2, RM3, RM4, <b>CR1</b>	1
M1, M2, B1A, B1B, B1, CR2	2
M3, M4, RM5	3
B2, B3, B4, B4A, AG, FUD, MX1, DCD4, <b>CM1, CS1</b>	4
B5, B5B, B5C, B6, IL1, IL2, IL3, IH, IH2, IB, APD AM, MX2, DCD1, DCD3, DCD5, DCD6	5